CORRECTION Open Access

Correction to: Role of community-based active case finding in screening tuberculosis in Yunnan province of China



Jin-Ou Chen¹, Yu-Bing Qiu¹, Zulma Vanessa Rueda², Jing-Long Hou¹, Kun-Yun Lu¹, Liu-Ping Chen¹, Wei-Wei Su¹, Li Huang¹, Fei Zhao³, Tao Li⁴ and Lin Xu^{1*}

Correction to: Infect Dis Poverty https://doi.org/10.1186/s40249-019-0602-0

In the original publication of this article [1] we noticed the Fig. 4 was incorrect. The correct Fig. 4 is as below:

Author details

¹Division of tuberculosis control and prevention, Yunnan Center for Disease Control and Prevention, Kunming, China. ²Universidad Pontificia Bolivariana, Medellín, Colombia. ³Clinical trail and research center of Beijing hospital, Beijing, China. ⁴Chinese Center for Disease Control and Prevention, Beijing, China.

Published online: 18 January 2020

Reference

Chen, et al. Infect Dis Poverty. 2019;8:92 https://doi.org/10.1186/s40249-019-0602.0

The original article can be found online at https://doi.org/10.1186/s40249-019-0602-0

Full list of author information is available at the end of the article



^{*} Correspondence: xulinth@hotmail.com

¹Division of tuberculosis control and prevention, Yunnan Center for Disease Control and Prevention, Kunming, China




Fig. 4 The patient, diagnostic and total delays stratified by case finding strategies and the year of tuberculosis diagnosis in Yunnan, 2013–2015 Days of patient delay: Date from the onset of tuberculosis symptoms to date of the patient's first home visit for ACF or date to a healthcare facility for PCF. Days of diagnostic delay: Date of patient's first visit to date of the confirmation of tuberculosis diagnosis by sputum smear or culture. Days of total delay: The sum of patient delay and diagnostic delay. * Wilcoxon rank sum test showed *P*-value < 0.05 between different case finding strategies between 2013 and 2015